



(800) 544 - 0439 www.grass-tex.com



ABOUT GRASSTEX

WARNING: GrassTex does not simply make synthetic turf. We design synthetic solutions for all types of applications to perform at the highest level. Do not simply compare face weights. Ask your account manager why.

GrassTex is a world leader in manufacturing synthetic turf for residential and commercial applications. When it first opened its doors in 1976, GrassTex established itself as a pioneer in the creation of safe, durable turf technology. This innovative drive led to new advances in synthetic turf – it became safer, stronger and more natural in appearance. Developments like the Dow urethane backing, created for carpet in the mid-80's, increased synthetic turf's strength and durability. As synthetic turf technologies evolved, GrassTex adapted to meet commercial and consumer demand.

When the popularity of indoor soccer exploded in the mid 80's, GrassTex helped to invent the urethane backing which made the tough artificial turf of these fields possible. Huge strides were made to improve the overall quality and convertibility of artificial turf options. During this period of industry evolution, GrassTex was leading the way, pushing the creation of new technologies and constantly generating more advanced products. Soccer arenas, football fields, and putting greens were just a few of the major sports to benefit from the advances made by tougher, safer, more versatile turf.

GrassTex continues to offer the Hi-Tech turf system. The system now also incorporates cutting edge polyethylene monofilament fibers for playability along with a texturized nylon thatch for performance combined with a new Polyurethane backing in its new Arena Turf designs. The Polyurethane backing called Silverback[™], is the newest and most advanced available. Now golf, football, baseball and landscape turf can benefit from the increased durability of our Hi-Tech Silverback[™] backing system.



Imagine the perfect lawn any time of the year. Now, imagine that lawn being nearly maintenance free and pay for itself within 7 years or less. What you have is GrassTex, the leading manufacturer of synthetic turf. We stay at the forefront of the industry by manufacturing cutting-edge, natural looking synthetic turf for any application imaginable.

Whether it's for a residential backyard or a rooftop bar in downtown Manhattan, we've got you covered, with turf that is! Manufactured in the USA.





CARMFI BAY

Standard Colors	Field Green	I
Primary Backing	ArmorLock™ 3L Polypropylene	ļ
Coating Type(s)	SilverBack™ Polyurethane	ļ
Foot Traffic	Light/Medium	l

Pile Height	1 1/2"
Face Weight	40 oz.
Fabric Width	15 Ft.
Perforations	Yes



COUNTRYSIDE

Standard Colors	Field/Clover; Olive/Tan Thatch	Pile Height	1 1/4"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	36 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Light/Medium	Perforations	Yes

RESIDENTIAL APPLICATIONS

- No mowing
- No watering
- No pesticides
- Kid and pet friendly
- Beautiful green lawn all-year round
- Saves time for what's important

COMMERCIAL APPLICATIONS

- Hotels, casinos, resorts, country clubs, waterparks, hospitals
- Creates usable space on rooftops
- Curb appeal
- Virtually no maintenance





Standard Colors Field/Lime; Olive/Tan Thatch Primary Backing ArmorLock[™] 3L Polypropylene Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High

Pile Height 11/4' Face Weight 55 oz Fabric Width 15 Ft. Perforations Yes



Standard Colors	Field/Apple	Pile Height	1 1/2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	58 oz
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Light/Medium	Perforations	Yes

Create the hassle-free backyard space you've always dreamed of with synthetic turf. We've made it our business to help you create your perfect yard.



LA JOLLA



Height 13/4"

Standard Colors	Field/Green; Field/Olive	Pile Height	1 3/4"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	55 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Light/Medium	Perforations	Yes



Standar	d Colors	Field/Olive	Pile Height	11/2"
Primary	Backing	ArmorLock™ 3L Polypropylene	Face Weight	40 oz
Coating	Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Tr	affic	Light/Medium	Perforations	Yes



Standard Colors	Field/Olive	Pile H
Primary Backing	ArmorLock™ 3L Polypropylene	Face V
Coating Type(s)	SilverBack™ Polyurethane	Fabric
Foot Traffic	Medium/High	Perfor

Pile Height	1 3/4"
Face Weight	75 oz.
Fabric Width	15 Ft.
Perforations	Yes



Standard Colors	Field/Olive w/ Olive/Tan; Field/Clover with Olive/Tan	
Primary Backing	ArmorLock™ 3L Polypropylene	
Coating Type(s)	SilverBack™ Polyurethane	
Foot Traffic	Medium/High	

Pile Height 2" Face Weight 80 oz. Fabric Width 15 Ft. Perforations Yes



MIRAGE

Standard Colors	Field/Olive	Pile Height
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width
Foot Traffic	Medium/High	Perforations

-	No.		
			5
Maria	leasting	a valida	
		1	
		25	÷
a loale a			

	Pile Height	1 3/4
ene	Face Weight	71 oz
	Fabric Width	15 Ft

Yes



CALI PLUSH

Standard Colors	Field/Olive	Pile Height	2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	92 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes

SOFT LANDING

Standard Colors	Forest Olive	Pile Height	1 1/4"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	56 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	12 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Standard Colors	Field/Olive	Pile Height	1 9/16
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	78 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Creates more playtime, more focused students, and happy teachers and parents with GrassTex.



COASTAL CUT

 Standard Colors
 Field/Lime; Olive/Tan Thatch
 P

 Primary Backing
 ArmorLock™ 3L Polypropylene
 F

 Coating Type(s)
 SilverBack™ Polyurethane
 F

 Foot Traffic
 Medium/High
 P

Pile Height11/4"Face Weight55 oz.Fabric Width15 Ft.PerforationsYes

ARTIFICIAL TURF ADVANTAGES

- Products are designed with the children in mind
- No harmful chemicals are used or needed to upkeep the surface
- ADA compatible
- Fall Zone safe (fall area/ heavy traffic areas do not get displaced like mulch)
- Life expectancy can vary, but typically 10-15+ years
- Drains rainfall 30" per/hour per sq. yd.
- Made in the USA
- Ideal for Community Parks & Recs, YMCA's, Boys & Girls Club, Daycares, Backyards
- Consistent soft fibers with low abrasion
- Allows for more play time (no standing water)
- No rubber granules needed
- Available in other colors besides green
- Does not stain clothes like natural grass/ dirt



LA JOLLA

Standard Colors Field/Green; Field/Olive Primary Backing ArmorLock™ 3L Polypropylene Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium





CARMEL BAY

CERTIFIED

Foot Traffic

Standard Colors	Field Green	Pi
Primary Backing	ArmorLock™ 3L Polypropylene	Fa
Coating Type(s)	SilverBack™ Polyurethane	Fa
Foot Traffic	Light/Medium	P

PACIFIC NORTHWEST

Coating Type(s) SilverBack™ Polyurethane

Medium/High

Standard Colors Field/Olive

Pile Height 11/2" Face Weight 40 oz. abric Width 15 Ft. erforations Yes

Pile Height 1 3/4"

Fabric Width 15 Ft.

Perforations Yes



Standard Colors	Field/Olive	Pile Height	1 1/2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	40 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Light/Medium	Perforations	Yes



COUNTRYSIDE

Standard Colors Field/Clover; Olive/Tan Thatch Pile Height 11/4" Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 36 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium

Fabric Width 15 Ft. Perforations Yes



CALI PLUSH

Standard Colors	Field/Olive	Pile Height	2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	92 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 62 oz.

Standard Colors	Field/Olive w/ Olive/Tan Thatch	Pile Height	1 1/2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	52 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Standard Colors Field/Olive w/ Olive/Tan; Field/Clover with Olive/Tan Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 80 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High




Fabric Width 15 Ft. Perforations Yes

APPLICATION

- Dog Parks Dog Kennels
- Doggie Daycares
- Dog Runs
- Dog Relief Areas
 - Airports
 - Hotels
- Backyards

It's easy to create a safe area for your best friend to play in. You want to keep your pets safe and happy, so let us help you build an area for them to play.



CATALINA

 Standard Colors
 Field/Olive

 Primary Backing
 ArmorLock™ 3L Polypropylene

 Coating Type(s)
 SilverBack™ Polyurethane

 Foot Traffic
 Light/Medium

Pile Height11/2"Face Weight40 oz.Fabric Width15 Ft.PerforationsYes





 Standard Colors
 Field/Apple

 Primary Backing
 ArmorLock™ 3L Polypropylene

 Coating Typeig
 SilverBacki™ Polyurethane

 Foot Traffic
 Light/Medium

Pile Height1 1/2"Face Weight58 oz.Fabric Width15 Ft.PerforationsYes



SUNNY SOD

 Standard Colors
 Field/Clover
 Pild

 Primary Backing
 ArmorLock™3LPOlypropple
 Field

 Coating Type(s)
 SilverBack™ Polyurethane
 Field

 Foot Traffic
 Light/Medium
 Peld

Pile Height11/2"Face Weight50 oz.Fabric Width15 Ft.PerforationsYes



Outdoor areas covered with synthetic turf provide not only beautiful landscape around swimming pools, they also provide additional safety to the swimming pool area.



Perforations Yes



COASTAL CUT

Foot Traffic

Standard Colors Field/Clover; Olive/Tan Thatch Primary Backing ArmorLock™ 3L Polypropylene Face Weight 55 oz Coating Type(s) SilverBack[™] Polyurethane Foot Traffic Medium/High

Medium/High



Perforations Yes





Standard Colors Field/Clover; Olive/Tan Thatch Primary Backing ArmorLock[™] 3L Polypropylene Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium

Pile Height 11/4' Face Weight 36 oz Fabric Width 15 Ft. Perforations Yes

MIRAGE Standard Colors Field/Olive Pile Height 1 3/4'

Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	71 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Standard Colors Field/Olive Primary Backing ArmorLock™ 3L Polypropylene

Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High



Perforations Yes



CARIBBEAN CUT



Standard Colors Field/Apple Primary Backing ArmorLock™ 3L Polypropylene Face Weight 58 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium

Pile Height 11/2 Fabric Width 15 Ft. Perforations Yes



TRAFFIC BLADE SILVER

Standard Colors Field/Olive w/ Olive/Tan Thatch Pile Height 11/2' Primary Backing ArmorLock™ 3L Polypropylene Face Weight 52 oz. Coating Type(s) SilverBack™ Polyurethane Fabric Width 15 Ft. Foot Traffic Medium/High Perforations Yes



ENDLESS SUMMER

Standard Colors	Field/Olive	Pile Height	1 9/16"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	78 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



Standard Colors	-ield/Olive	Pile Height	1 3/4"
Primary Backing A	ArmorLock™ 3L Polypropylene	Face Weight	75 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes



CALI PLUSH

Standard Colors Field/Olive	Pile Height 2"
Primary Backing ArmorLock [™] 3L Pol	ypropylene Face Weight 92 oz.
Coating Type(s) SilverBack™ Polyure	Fabric Width 15 Ft.
Foot Traffic Medium/High	Perforations Yes



POOLSIDE

- Perfect design for rooftop pools where natural grass cannot grow
- Beautiful lush lawn all-year round
- Eliminate grass clippings
- Virtually maintenance free
- Safe for children and pets
- Eliminates the chance of mud after heavy rain fall
- Compliments any landscaping
- Soft fibers make it ideal to walk barefoot on
- Various products and color options to choose from



Rooftops are lifeless areas and with more people moving back into the city for ease of commuting, a synthetic lawn on top of the roof is a perfect way to bring greenery and use to the area.



ROOFTOPS:

- Create usable space that is otherwise vacant and an eye soar
- Create a profitable space (commercial rooftops for business events, wedding receptions, parties, bar/ lounges)
- Pet relief stations for condo/ apartment dwellers
- Easy installation •
- Creates a "green" space in areas that are usually surrounded by concrete or uninviting spaces
- Great drainage, no standing water

TRUE TURF



Standard Colors	Forest	Pile Height	9/16"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	48 oz.
Coating Type(s)	Natural Rubber	Fabric Width	15 Ft.
Foot Traffic	High	Perforations	Custom



COUNTRYSIDE

Standard Colors Field/Clover; Olive/Tan Thatch Pile Height 11/4' Primary Backing ArmorLock™ 3L Polypropylene Face Weight 36 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium



Fabric Width 15 Ft. Perforations Yes

Standard Colors Field/Clover; Olive/Tan Thatch Pile Height 11/4" Primary Backing ArmorLock™ 3L Polypropylene Face Weight 55 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High

COASTAL CUT

Fabric Width 15 Ft. Perforations Yes



NATURE'S CUT

Standard Colors Field/Olive with Nutmeg Primary Backing ArmorLock™ 3L Polypropylene Face Weight 93 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High

Pile Height 1 3/4" Fabric Width 15 Ft. Perforations Yes



CARIBBEAN CUT

Standard Colors Field/Apple Primary Backing ArmorLock™ 3L Polypropylene Face Weight 58 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Light/Medium

Pile Height 11/2" Fabric Width 15 Ft. Perforations Yes



Standard Colors	Field/Olive	Pile He
Primary Backing	ArmorLock™ 3L Polypropylene	Face V
Coating Type(s)	SilverBack™ Polyurethane	Fabric
Foot Traffic	Medium/High	Perfor


eight 2" Weight 92 oz. Width 15 Ft. rations Yes



Standard Colors Field/Olive w/ Olive/Tan Thatch Pile Height 11/2" Primary Backing ArmorLock™ 3L Polypropylene Face Weight 52 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High

Fabric Width 15 Ft. Perforations Yes





GrassTex has the system for your training needs.

ARTIFICIAL TURF ADVANTAGES

- Perfect for functional training
- High performance quality
- **Reacts naturally**
- Improved durability and safety
- Helps create multipurpose areas
- Prefab logos, ladders, hash marks
- Clean and can be cleaned easily
- Consistent performance
- Velcro Systems available for portable training areas



ARENA PRO Standard Colors White; Field Green Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 55 oz.

Coating Type(s) 5mm Polyurethane Foam

High

Foot Traffic

Pile Height 7/8" Fabric Width 12 Ft. Perforations Custom



Standard Colors	White; Field Green
Primary Backing	ArmorLock™ 3L Polypropylene
Coating Type(s)	5mm Polyurethane Foam
Foot Traffic	High

Pile Height 11/8" Face Weight 55 oz. Fabric Width 12 Ft. Perforations Custom

TRUE 1	TURF		
Standard Colors	Forest	Pile Height	9/16"
Primary Backing	ArmorLock™ 3L Polypropylen	e Face Weight	48 oz.
Coating Type(s)	Natural Rubber	Fabric Width	15 Ft.
Foot Traffic	High	Perforations	Custom



ALL SPORTS TURF

Standard Colors Pine Primary Backing ArmorLock[™] 3L Polypropylene Coating Type(s) 5mm and 3mm Polyurethane Foam; SilverBack™ Polyurethane Foot Traffic High

Pile Height 1/4" Face Weight 21 oz. Fabric Width 12 Ft.

Perforations Custom



Standard Colors Forest Olive Pile Height 11/4" Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 56 oz. Coating Type(s) 5mm Polyurethane Foam Fabric Width 12 Ft. Perforations Custom Foot Traffic High





GrassTex has tee lines and putting greens to fit your needs.









Standard Colors	Forest	Pile Height	3/8"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	36 oz.
Coating Type(s)	Natural Rubber	Fabric Width	15 Ft.
Foot Traffic	High	Perforations	Custom


RESIDENTIAL COMMERCIAL APPLICATIONS

(GOLF COURSES, DRIVING RANGES, ROOFTOPS, RESORTS)

- Available in both nylon and polypropylene versions for a consistent ball roll
- Allows avid golfers more time to work on their short game
- Nearly maintenance free
- Fun for the entire family

DRIVING RANGES

- 5x5 Range Mats are the perfect addition for any Driving Range.
- Dense fibers allow wooden tees to be placed in the Range Mat itself





Standard Colors	Verde/Lime
-----------------	------------

Primary Backing ArmorLock™ 3L Polypropylene Face Weight 36 oz. Coating Type(s) SilverBack™ Polyurethane Foot Traffic High

Pile Height 3/8" Fabric Width 15 Ft. Perforations Custom



Pile Height 11/8" Face Weight 125 oz. Fabric Width 12 & 15 Ft. Perforations Custom



Coating Type(s) SilverBack™ Polyurethane


Pile Height 1" Fabric Width 15 Ft. Perforations No









As the leading turf manufacturer, we have the expertise and resources to create any type of sports field you can think of.





Selecting GrassTex's turf gives any bocce court a natural looking and feeling play surface that is safe, durable, and clean!








REMEMBER

- High performance quality
- Consistent surface for natural ball roll
- UV stabilized
- Added foam cushion for comfortable play
- Virtually maintenance free
- Consistent performance over time and use
- Texturized non directional fibers
- Clean and can be cleaned easily



Most popular color is oyster/tan.





ARENA PRO

Standard Colors White; Field Green Primary Backing ArmorLock™ 3L Polypropylene Face Weight 55 oz. Coating Type(s) 5mm Polyurethane Foam Foot Traffic High

Pile Height 7/8" Fabric Width 12 Ft. Perforations Custom



FAST TRAC

Standard Colors White; Field Green Primary Backing ArmorLock[™] 3L Polypropylene Coating Type(s) 5mm Polyurethane Foam Foot Traffic High

Pile Height 11/8" Face Weight 55 oz. Fabric Width 12 Ft. Perforations Custom



SOF STEP PREMIUM

Standard Colors	Field; White; Terra Cotta; Brown	Pile Height	13⁄4"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	50 oz.
Coating Type(s)	SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	Medium/High	Perforations	Yes






SOF STEP 200

Standard Colors	Field; Field/Lime
Primary Backing	ArmorLock™ 3L Polypropylene
Coating Type(s)	SilverBack™ Polyurethane
Foot Traffic	High

Pile Height 11/2 - 2" Face Weight 67 oz. Fabric Width 15 Ft. Perforations Yes





Our baseball line of products are extremely versatile and come in 15' and 12' goods to meet the needs of professional, minor league, collegiate, and your average baseball enthusiast.




PLAY E	BALL II		SEST ATED INGCAGE
Standard Colors	Field/Lime	Pile Height	1/2"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	36 oz.
Coating Type(s)	3mm Polyurethane Foam; SilverBack™ Polyurethane	Fabric Width	15 Ft.
Foot Traffic	High	Perforations	Custom

HIT A HOMERUN WITH OUR TURF

- Designed for high performance training
- Reacts naturally to ball roll
- Perfect for multipurpose facilities
- Consistent performance over time and use
- Custom halos & batting circles
- Padded turf to protect player and ball
- Multiple colors available to meet your design needs
- Perfect for the professional and enthusiast alike



GrassTex is the one stop shop for all your tradeshow booth flooring needs. Whatever the size or display, we have the skills to make your project come to life.



SOFT LANDING

Foot Traffic

Standard Colors Forest Olive

Coating Type(s) SilverBack™ Polyurethane

Medium/Hiah

Pile Height 11/4" Primary Backing ArmorLock[™] 3L Polypropylene Face Weight 56 oz. Fabric Width 12 Ft. Perforations Yes

		_	-
Standard Colors	Field/Olive w/ Olive/Tan Thatch	Pile Height	1 3/4"
Primary Backing	ArmorLock™ 3L Polypropylene	Face Weight	80 oz.

Coating Type(s) SilverBack™ Polyurethane Foot Traffic Medium/High

Fabric Width 15 Ft. Perforations Yes




WHY PTTURF IS THE BEST CHOICE

- ADA Compliant
- Wheelchair, canes, and walker accessible
- Perfect for rehabilitation and training
- High performance quality
- Reacts naturally
- Improved durability and safety
- Great addition to create multipurpose facilities
- Clean and can be easily maintaned
- Consistent performance over time and use



Standard Colors	Navy	Pi
Primary Backing	ArmorLock™ 3L Polypropylene	Fa
Coating Type(s)	5mm Polyurethane Foam	Fa
Foot Traffic	High	Pe

Pile Height3/4"Face Weight50 oz.Fabric Width12 Ft.PerforationsCustom



THE TURF ADVANTAGE



Allows for maximized performance



Excellent shock attenuation



Great coefficient of friction properties



Hypo allergenic



Great sound insulator



Prevents foot lock



Fungal and bacteria resistant



Design the perfect logo for your next tradeshow, sports' training field, or simply to create the perfect entry mat for your business!

LOGOS:

- Custom Design
- Baseball Halos
- Mini Sports Training Facilities
- Team Logos
- Rooftops
- Sports Bar Entry Mats
- Running Tracks
- Tradeshow Booths

Both the Bermuda and V-Max products come with a 5mm attached foam cushion, which also allows us to create a portable training area with our Velcro System. If you are simply renting space for your CrossFit gym or simply covering a basketball court in the off-season, a Velcro System is your answer for an easy install and removable turf area.





SILVERBACK[™] BACKING

PURE, QUIET STRENGTH.

Imagine having the strength of 7 Olympic weight lifters or weighing over 400 lbs and being able to do one armed pull-ups. Our new SilverBack[™] is the quiet strength under your new synthetic turf that gives you peace of mind your investment is protected by unmatched strength.

PURE TECHNOLOGY

- SilverBack's coating system takes advantage of the most advanced technology in the coating industry.
- Engineered with quality in mind from the pure polyurethane chemistry to the application system.
- Features technologically advanced chemistry focusing on offering the highest quality components to create the best coating system available.
- Applied using an application system designed specifically for this coating system in order to have full control of the entire system.
- Certified Quality Our ISO 9001 2008, ISO 14001 and OHSAS 18001



STRENGTH IS IN OUR DNA.



ArmorLoc[™] 3L utilizes a complete woven system as the foundation to deliver the world's strongest artificial turf system.

Primary backing plays a vital role in the overall design of an artificial turf system. ArmorLoc [™] 3L is non-directional, dimensionally stable and ensures no excess movement. Combined, ArmorLoc[™] 3L with Silverback[™] urethane coating and specialized yarns work together binding the DNA of all three components creating a thermoset bond. ArmorLoc[™] 3L delivers the science of DNA strand building.

Charge Guard

FEATURED IN PLAYTIME.

Playground equipment, especially slides, should be properly grounded per manufactures recommendations. Methods include copper grounding wire and grounding rods.

FEATURES

- Built into the structure of the product
- Guarantees total coverage (not topically applied)
- Designed to last the life of the product
- Electro conductive yarn fiber
- Grounding proprieties

BENEFITS

- Reduces static discharge
- No applied coating that requires maintenance
- Recommended use around playgrounds
- Antistatic properties







REAL FLAG SET Includes: Cup sleeve, 6" cup, Plate with attached base, 6" x 8" Red Flag




ENVIROFILL 16/30 Mesh: Landscape (2 lbs./sq. ft.) 30/50 Mesh: Putting Green (2 lbs./sq. ft.)



CRUMB RUBBER 2,000 lbs. (Sports fields only, Sof Step & Premium 3 lbs/sq. ft.)



STAR PRO CUP





1" PLAYGROUND PAD 4' x 5' (20 sq. ft.) (Meets 5' fall rating)

2" PLAYGROUND PAD 4' x 5' (20 sq. ft.) (Meets 8' fall rating)



5MM FOAM PAD 12' Wide Rolls



ADHESIVE 250 Sq. Ft. Turf Claw 75 - 5 Gal. 360 Sq. Ft. Turf Claw FB - 4 Gal.



MAIPEI PU2K (2) Gallon 180 SF (Short), 150 SF (Tall) 150' Linear Seams



SEAM CLOTH 12" x 200' 12" x 50'



VELCRO SYSTEM 2" Female Sewn on Foam 4" Male to Attach Rolls




RANGE MATS 5' x 5' (holds golf tees) without Shock Pad



RANGE MATS 5' x 5' (holds golf tees) with 3/8" Shock Pad



AIR DRAIN MATS 32" x 32" x 1"





	Product	Suggested Infill	Suggested Fringe
BEST	True Turf	1-1 1/2 lbs. per sq ft. 30/50 Mesh	Soft Landing, Catalina, La Jolla, Pet Heaven, Traffic Blade Silver
HIGHEST	Money Putt	1/2 lb. per sq ft. 30/50 Mesh	Soft Landing, Catalina, La Jolla, Pet Heaven, Traffic Blade Silver
	One Putt	No Infill Required	Soft Landing, Catalina, La Jolla, Pet Heaven, Traffice Blade Silver
	Club Champion	1-1 1/2 lbs. per sq ft. 30/50 Mesh	Soft Landing, Catalina, La Jolla, Pet Heaven, Traffic Blade Silver, Countryside
	Perfect Putt	1-1 1/2 lbs. per sq ft. 30/50 Mesh	Pet Heaven, PlayTime, Carmel Bay, Caribbean Cut
	Troon	5-6 lbs. per sq ft. 30/50 Mesh	Soft Landing, Catalina, La Jolla, Traffic Blade Silver
	Chippers Choice	6 lbs. per sq ft. 30/50 Mesh	Playtime, Caribbean Cut, Catalina, Carmel Bay, Traffic Bay Silver
BEST RATED	Hole In One	No Infill Required	Soft Landing, Catalina, La Jolla, Pet Heaven, Traffic Blade Silver

Stay Green And Clean All Year Long

GrassTex is proudly manufactured in America, offering what can only be considered as premium quality artificial grass. Its lush natural look and soft plush feel makes it ideal for all your turf needs. GrassTex has authorized dealers throughout the world that can help you decide which product is perfect for you, so contact us today.

> Find us on Facebook

(800)544-0439 www.grass-tex.com